


AOF Test Check Program 2020 - Round 3


Test Weight (kg/hL)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1	67.00	0.62			65.45	-0.93			68.20	1.82			65.64	-0.74					65.85	-0.53			66.20	-0.18									66.33	-0.05	0.95	66.38
Sample 2	65.50	0.45			63.87	-1.18			65.54	0.49			64.59	-0.46					64.85	-0.20			65.17	0.12	66.46	1.41							64.40	-0.65	0.80	65.05
Sample 3	67.00	0.08			66.71	-0.22			68.20	1.28			66.29	-0.64					66.85	-0.07			67.18	0.25	66.65	-0.27							66.50	-0.42	0.59	66.92
Mean Absolute Difference		0.38				0.78				1.20				0.61						0.27				0.19										0.38		
Mean of Difference						-0.78				1.20				-0.61						-0.27				0.06										-0.38		



Test Weight (kg/hL) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	0.65		-0.98		1.91		-0.78			-0.56		-0.19					-0.06
Sample 2	0.56		-1.47		0.61		-0.57			-0.24		0.15	1.76				-0.81
Sample 3	0.14		-0.37		2.18		-1.08			-0.12		0.43	-0.46				-0.72

AOF Test Check Program 2020 - Round 3


Impurities (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1	1.54	-0.90			1.70	-0.74			9.17	6.73			1.44	-1.00					1.55	-0.89			1.55	-0.89	1.26	-1.18							1.29	-1.15	2.72	2.44
Sample 2	2.56	-0.54			1.51	-1.59			10.26	7.16			1.61	-1.49					1.60	-1.50			1.95	-1.15	2.12	-0.98							3.19	0.09	2.95	3.10
Sample 3	1.34	-0.14			0.62	-0.86			4.81	3.33			0.96	-0.52					0.70	-0.78			1.05	-0.43	1.01	-0.47							1.35	-0.13	1.37	1.48
Mean Absolute Difference		0.53				1.06				5.74				1.00						1.05				0.82		0.88									0.46	
Mean of Difference		-0.53				-1.06				5.74				-1.00						-1.05				-0.82		-0.88									-0.40	



Impurities (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	-0.33		-0.27		2.47		-0.37			-0.33	-0.33	-0.43					-0.42
Sample 2	-0.18		-0.54		2.43		-0.51			-0.51	-0.39	-0.33					0.03
Sample 3	-0.10		-0.63		2.43		-0.38			-0.57	-0.31	-0.34					-0.10

AOF Test Check Program 2020 - Round 3


Oil NIR (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1					49.45	0.52			49.65	0.72			49.74	0.81			47.20	-1.73	49.50	0.57			48.03	-0.90	50.35	1.42							47.50	-1.43	1.17	48.93
Sample 2					45.65	0.18			44.90	-0.57			45.91	0.44			43.50	-1.97	46.45	0.98			46.10	0.63	46.55	1.08							44.70	-0.77	1.04	45.47
Sample 3					40.60	0.12			41.05	0.57			40.43	-0.05			38.45	-2.03	42.15	1.67			39.41	-1.07	41.98	1.50							39.75	-0.73	1.26	40.48
Mean Absolute Difference						0.28				0.62				0.43				1.91		1.08				0.86		1.33								0.97		
Mean of Difference						0.28				0.24				0.40				-1.91		1.08				-0.44		1.33								-0.97		



Oil NIR (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1			0.45		0.62		0.69		-1.47	0.49		-0.76	1.21				-1.22
Sample 2			0.17		-0.55		0.42		-1.90	0.94		0.61	1.04				-0.74
Sample 3			0.10		0.45		-0.04		-1.60	1.33		-0.84	1.19				-0.58

AOF Test Check Program 2020 - Round 3


Oil Solvent (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1	49.54	0.22							49.30	-0.02									49.00	-0.31					49.61	0.30							49.13	-0.19	0.26	49.32
Sample 2	46.77	0.59							45.76	-0.42									46.00	-0.18					46.70	0.52							45.66	-0.52	0.52	46.18
Sample 3	40.79	0.07							40.50	-0.22									41.50	0.78					40.97	0.25							39.83	-0.89	0.62	40.72
Mean Absolute Difference		0.29								0.22										0.43						0.36								0.53		
Mean of Difference		0.29								-0.22										0.10														-0.53		



Oil Solvent (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	0.85				-0.06						-1.21		1.14				-0.71
Sample 2	1.13				-0.80						-0.34		1.00				-0.99
Sample 3	0.11				-0.35						1.27		0.41				-1.44

AOF Test Check Program 2020 - Round 3


Moisture Oven (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1	4.70	-0.33			4.94	-0.09			5.05	0.02			5.16	0.13					5.00	-0.03			4.91	-0.12	5.14	0.11							5.34	0.31	0.19	5.03
Sample 2	3.72	-0.21			3.48	-0.45			4.05	0.12			4.14	0.21					4.00	0.07			3.98	0.05	3.78	-0.15							4.30	0.37	0.26	3.93
Sample 3	6.51	-0.18			6.30	-0.39			6.80	0.11			6.90	0.21					6.50	-0.19			6.65	-0.04	6.80	0.11							7.06	0.37	0.25	6.69
Mean Absolute Difference		0.24				0.31				0.08				0.18						0.10				0.07		0.12								0.35		
Mean of Difference		-0.24				-0.31				0.08				0.18						-0.05				-0.07		0.02								0.35		



Moisture Oven (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	-1.73		-0.46		0.12		0.67			-0.15		-0.62	0.56				1.62
Sample 2	-0.81		-1.75		0.47		0.80			0.27		0.18	-0.57				1.41
Sample 3	-0.74		-1.57		0.45		0.83			-0.76		-0.16	0.45				1.50

AOF Test Check Program 2020 - Round 3


Moisture NIR (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1					4.25	-0.43			5.00	0.32			4.28	-0.41			5.20	0.52	4.70	0.02			5.75	1.07	3.40	-1.28							4.90	0.22	0.71	4.68
Sample 2					3.20	-0.65			4.10	0.25			3.26	-0.59			4.40	0.55	3.60	-0.25			5.41	1.56	2.25	-1.60							4.55	0.70	0.98	3.85
Sample 3					6.05	-0.50			6.90	0.35			6.25	-0.31			6.90	0.35	6.30	-0.25			7.86	1.31	5.45	-1.10							6.70	0.15	0.72	6.55
Mean Absolute Difference						0.53				0.31				0.43				0.47		0.17				1.31		1.33								0.36		
Mean of Difference						-0.53				0.31				-0.43				0.47		-0.16				1.31		-1.33								0.36		



Moisture NIR (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1			-0.61		0.44		-0.57		0.72	0.02		1.50	-1.80				0.30
Sample 2			-0.66		0.26		-0.60		0.57	-0.25		1.60	-1.63				0.72
Sample 3			-0.70		0.49		-0.43		0.49	-0.35		1.83	-1.53				0.21

AOF Test Check Program 2020 - Round 3


Oleic Acid (% by Weight)																																					
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN	
Sample 1	61.74	-0.81																							63.29	0.74								62.62	0.07	0.78	62.55
Sample 2	62.09	-0.96																							64.18	1.13								62.87	-0.18	1.06	63.05
Sample 3	61.53	-0.63																							62.92	0.76								62.03	-0.13	0.71	62.16
Mean Absolute Difference		0.80																																	0.13		
Mean of Difference		-0.80																																	-0.08		



Oleic Acid (% by Weight) (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	-1.04												0.95				0.09
Sample 2	-0.91													1.07			-0.17
Sample 3	-0.89												1.08				-0.19

AOF Test Check Program 2020 - Round 3


Linoleic Acid (% by Weight)																																								
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN				
Sample 1		21.44	0.31																						20.29	-0.85								21.68	0.54	0.74	21.13			
Sample 2		21.32	0.45																							19.72	-1.15								21.56	0.69	1.00	20.86		
Sample 3		22.40	0.22																							21.25	-0.93								22.89	0.71	0.84	22.18		
Mean Absolute Difference			0.33																																	0.97		0.65		
Mean of Difference			0.33																																			-0.97		0.65



Linoleic Acid (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	0.41												-1.14				0.73
Sample 2	0.45												-1.15				0.69
Sample 3	0.26												-1.10				0.85

AOF Test Check Program 2020 - Round 3


Linolenic Acid (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1		8.72	0.19																						8.35	-0.19							8.53	0.00	0.19	8.53
Sample 2		8.82	0.10																						8.72	0.00							8.61	-0.10	0.10	8.71
Sample 3		7.82	0.13																						7.60	-0.09							7.66	-0.04	0.11	7.69
Mean Absolute Difference			0.14																							0.09								0.05		
Mean of Difference			0.14																							-0.09								-0.05		



Linolenic Acid (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	1.00												-1.00				0.00
Sample 2	0.99												0.02				-1.01
Sample 3	1.12												-0.80				-0.32

AOF Test Check Program 2020 - Round 3

Free Fatty Acid (% by Weight)																																				
	A	A-MEAN	B	B-MEAN	C	C-MEAN	D	D-MEAN	E	E-MEAN	F	F-MEAN	G	G-MEAN	H	H-MEAN	I	I-MEAN	J	J-MEAN	K	K-MEAN	L	L-MEAN	M	M-MEAN	N	N-MEAN	O	O-MEAN	R	R-MEAN	S	S-MEAN	STDEV	MEAN
Sample 1		0.11	-0.05																0.17	0.00					0.23	0.07							0.15	-0.01	0.05	0.16
Sample 2		0.16	-0.08																0.20	-0.04					0.39	0.16							0.19	-0.05	0.11	0.23
Sample 3		0.18	-0.08																0.23	-0.03					0.40	0.15							0.22	-0.04	0.10	0.26
Mean Absolute Difference			0.07																	0.02						0.13								0.03		
Mean of Difference			-0.07																	-0.02						0.13								-0.03		



Free Fatty Acid (% by Weight) Z - score																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1	-1.06									0.01			1.34				-0.28
Sample 2	-0.71									-0.34			1.48				-0.43
Sample 3	-0.82									-0.27			1.46				-0.37

AOF Test Check Program 2020 - Round 3

2020 - Round 3


Oil % (NIR) - Oil % (Mean Reference)																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1			0.14		0.34		0.42		-2.11	0.19		-1.29	1.04				-1.82
Sample 2			-0.53		-1.28		-0.27		-2.68	0.27		-0.08	0.37				-1.48
Sample 3			-0.12		0.33		-0.29		-2.27	1.43		-1.31	1.26				-0.97
Average			-0.17		-0.20		-0.05		-2.35	0.63		-0.89	0.89				-1.42

Moisture % (NIR) - Moisture % (Mean Reference)																	
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S
Sample 1			-0.78		-0.03		-0.75		0.17	-0.33		0.72	-1.63				-0.13
Sample 2			-0.73		0.17		-0.67		0.47	-0.33		1.48	-1.68				0.62
Sample 3			-0.64		0.21		-0.44		0.21	-0.39		1.17	-1.24				0.01
Average			-0.72		0.12		-0.62		0.28	-0.35		1.12	-1.52				0.17

AOF Test Check Program 2020 - Round 3

Collective Oil


	Mean Difference (Oil NIR % - Oil Reference %)																		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S		
2018 Round 1			-0.64	-0.72	0.36		-0.25	-0.59	-2.42	-0.67	-0.39	-2.18	0.06		-0.59	-0.32	-0.61		
2018 Round 2		-0.58	-0.45	-0.48	0.17		-0.04	-0.13	0.02	0.22	-0.30	-2.29			-0.26	-0.13	-0.35		
2018 Round 3		0.00	0.08	-0.11	0.39		0.49	-0.02	0.04	1.02	-0.19	-0.19	0.44		0.08	0.44	0.04		
2018 Round 4		0.36	0.01	0.29	0.19		0.74	0.31	0.20	0.51	0.11	0.02	0.59		0.33	0.75	-0.11		
2018 Round 5		-0.10	-0.08	-0.41	-0.18		0.23	-0.16	-0.34	0.27	-0.36	-0.57	0.39	-0.66	-0.31	0.06	-0.68		
2018 Round 6		-0.08	-0.31		0.06		-0.07	-0.56	-0.24	-0.11	-0.48	-0.50	0.26	0.81	-0.31	-0.31	-0.83		
2019 Round 1		0.31	0.06	-0.05	0.55		-0.42	-0.14	0.31	0.14	-0.14	-0.35	0.46		0.04	0.26	-0.24		
2019 Round 2			0.41	0.29	1.06		0.63	0.11	-0.04	0.46	0.34	-0.01	0.66				0.16		
2019 Round 3			-0.27		0.81			0.05	0.00	0.40		0.08	1.35	-0.12			0.10		
2019 Round 4					1.02		0.33	0.12	0.62	-0.03	0.22	0.12	0.55				0.55		
2019 Round 5			0.20	-0.35	0.64		0.37	0.34	1.57	0.94	0.85	0.32					0.20		
2019 Round 6			0.42		0.91		0.62	0.22	0.52	0.41	0.64	0.48					0.14		
2020 Round 1			-0.13		-0.16		-0.27	0.16	-0.33	0.71	0.04	-0.36	0.34						
2020 Round 2			0.22		0.15		-0.12	0.34	0.37	0.54	0.42	-0.57	1.15					0.19	
2020 Round 3			-0.17		-0.20		-0.05		-2.35	0.63		-0.89	0.89					-1.42	



AOF Test Check Program 2020 - Round 3

Collective Moisture

Mean Difference (Moisture NIR % - Moisture Reference %)																		
	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	R	S	
2018 Round 1			-0.51	-0.38	0.14		-0.43	-0.43	0.11	0.21	-0.51	0.10	-0.99		-0.44	-0.56	-0.29	
2018 Round 2		-0.48	-0.21	-0.31	0.21		-0.33		0.14	-0.04	-0.36	0.32			-0.50	-0.52	-0.26	
2018 Round 3		-0.44	-0.31	-0.45	0.12		-0.62	-0.60	0.41	-0.10	-0.58	0.89	-1.30		-0.62	-0.66	-0.36	
2018 Round 4		-0.59	-0.53	-0.52	0.28		-0.80		0.26	-0.10	-0.52	0.83	-1.23		-0.67	-0.68	-0.42	
2018 Round 5		-0.49	-0.50	-0.45	0.22		-0.47	-0.36	0.52	-0.58	-0.48	0.94	-1.20	-0.52	-0.49	-0.54	-0.25	
2018 Round 6		-0.54	-0.50		0.17		-0.44	-0.40	0.39	-0.46	-0.45	0.00	-1.18	-0.35	-0.62	-0.43	-0.25	
2019 Round 1		-0.47	-0.30	-0.38	0.32		-0.29	-0.31	0.47	-0.14	-0.53	0.66	-1.03		-0.35	-0.55	-0.30	
2019 Round 2			-0.38	-0.52	0.25		-0.31	-0.35	0.32	-0.10	-0.42	0.52	-1.22				-0.18	
2019 Round 3			-0.38		0.43			-0.18	0.23	0.05		0.37	-0.93				-0.23	
2019 Round 4					0.16		-0.61	-0.52	-0.10	-0.27		0.63	-1.22				-0.47	
2019 Round 5			-0.27	-0.22	0.28		-0.40	-0.22	0.17	-0.28	-0.32	0.62					-0.15	
2019 Round 6			-0.56		0.20		-0.46	-0.48	0.20	-0.11	-0.43	0.68					-0.08	
2020 Round 1			-0.52		0.48		-0.08	-0.29	0.31	-0.21	-0.52	1.08	-1.04					
2020 Round 2			-0.72		0.17		-0.03	-0.57	0.43	-0.32	-0.60	1.19	-1.52				-0.45	
2020 Round 3			-0.72		0.12		-0.62		0.28	-0.35		1.12	-1.52				0.17	



AOF Test Check Program 2020 - Round 3

Appendix 2: Raw Data

Reporting Date	1/06/2020		Lab	A								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL		67.00	67.00	67.00	65.50	65.50	65.50	67.00	67.00	67.00	
Impurities	% by weight	AOF4-1.3	1.52	1.56	1.54	2.47	2.65	2.56	1.28	1.39	1.34	
Oil NIR (Clean Seed)	% by weight											
Oil Solvent (Clean Seed)	% by weight	Ball Mill (not corrected by moisture)	49.53	49.54	49.54	46.65	46.89	46.77	40.84	40.73	40.79	
Moisture Oven	% by weight		4.70	4.70	4.70	3.71	3.73	3.72	6.52	6.49	6.51	
Moisture NIR	% by weight											
Oleic Acid	% by weight	Methanolic KOH	61.75	61.73	61.74	62.07	62.11	62.09	61.55	61.50	61.53	
Linoleic Acid	% by weight	Methanolic KOH	21.43	21.45	21.44	21.32	21.31	21.32	22.34	22.45	22.40	
Linolenic Acid	% by weight	Methanolic KOH	8.73	8.70	8.72	8.81	8.82	8.82	7.81	7.83	7.82	
Free Fatty Acid	% by weight	AOCS Ac5-41	0.11	0.11	0.11	0.16	0.15	0.16	0.17	0.18	0.18	

Reporting Date			Lab	B								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL											
Impurities	% by weight											
Oil NIR (Clean Seed)	% by weight											
Oil Solvent (Clean Seed)	% by weight											
Moisture Oven	% by weight											
Moisture NIR	% by weight											
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

Reporting Date	10/05/2020		Lab	C								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL	weigh	65.77	65.12	65.45	63.95	63.78	63.87	66.65	66.76	66.71	
Impurities	% by weight	sieve & weigh	1.60	1.80	1.70	1.52	1.50	1.51	0.59	0.65	0.62	
Oil NIR (Clean Seed)	% by weight	NIR	49.40	49.50	49.45	45.60	45.70	45.65	40.80	40.40	40.60	
Oil Solvent (Clean Seed)	% by weight											
Moisture Oven	% by weight		5.02	4.86	4.94	3.38	3.57	3.48	6.36	6.24	6.30	
Moisture NIR	% by weight	NIR	4.30	4.20	4.3	3.20	3.20	3.2	6.00	6.10	6.1	
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

Reporting Date			Lab	D								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL											
Impurities	% by weight											
Oil NIR (Clean Seed)	% by weight											
Oil Solvent (Clean Seed)	% by weight											
Moisture Oven	% by weight											
Moisture NIR	% by weight											
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

AOF Test Check Program 2020 - Round 3

Reporting Date	4/05/2020		Lab	E								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL	Chondrometer	67.90	68.50	68.20	65.55	65.53	65.54	67.80	68.60	68.20	
Impurities	% by weight	Aerovac	9.17	9.16	9.17	10.26	10.25	10.26	4.61	5.00	4.81	
Oil NIR (Clean Seed)	% by weight	NIR	49.50	49.80	49.65	44.5	45.3	44.90	40.90	41.20	41.05	
Oil Solvent (Clean Seed)	% by weight	ISO-659	49.38	49.22	49.30	45.86	45.66	45.76	40.45	40.55	40.50	
Moisture Oven	% by weight	AOF method	5.00	5.10	5.1	4.10	4.00	4.1	6.80	6.80	6.8	
Moisture NIR	% by weight	NIR	5.00	5.00	5.0	4.10	4.10	4.1	6.90	6.90	6.9	
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

Reporting Date			Lab	F								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL											
Impurities	% by weight											
Oil NIR (Clean Seed)	% by weight											
Oil Solvent (Clean Seed)	% by weight	AOF 4-1.24a										
Moisture Oven	% by weight	AOF 4-1.5										
Moisture NIR	% by weight											
Oleic Acid	% by weight	AOF 4-1.21										
Linoleic Acid	% by weight	AOF 4-1.21										
Linolenic Acid	% by weight	AOF 4-1.21										
Free Fatty Acid	% by weight	AOF 4-2.19										

Reporting Date	28/04/2020		Lab	G								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL		65.61	65.67	65.64	64.39	64.79	64.59	66.22	66.35	66.29	
Impurities	% by weight		1.53	1.34	1.44	1.85	1.37	1.61	1.02	0.90	0.96	
Oil NIR (Clean Seed)	% by weight	NIR	49.74	49.73	49.74	45.86	45.96	45.91	40.42	40.43	40.43	
Oil Solvent (Clean Seed)	% by weight											
Moisture Oven	% by weight		5.14	5.17	5.16	4.14	4.13	4.14	6.90	6.89	6.90	
Moisture NIR	% by weight	NIR	4.24	4.31	4.28	3.30	3.22	3.26	6.22	6.27	6.25	
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

Reporting Date	19/03/2020		Lab	H								
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3			
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL											
Impurities	% by weight											
Oil NIR (Clean Seed)	% by weight											
Oil Solvent (Clean Seed)	% by weight											
Moisture Oven	% by weight											
Moisture NIR	% by weight											
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

AOF Test Check Program 2020 - Round 3

Reporting Date	18/05/2020		Lab	I							
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3		
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average
Test Weight	kg/hL										
Impurities	% by weight										
Oil NIR (Clean Seed)	% by weight	Near-Infra Red (NIR)	47.20	47.20	47.20	43.50	43.50	43.50	38.30	38.60	38.45
Oil Solvent (Clean Seed)	% by weight										
Moisture Oven	% by weight										
Moisture NIR	% by weight	Near-Infra Red (NIR)	5.20	5.20	5.20	4.40	4.40	4.40	6.90	6.90	6.90
Oleic Acid	% by weight										
Linoleic Acid	% by weight										
Linolenic Acid	% by weight										
Free Fatty Acid	% by weight										

Reporting Date	18/05/2020		Lab	J							
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3		
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average
Test Weight	kg/hL	Chondrometer	65.80	65.90	65.9	64.90	64.80	64.9	66.80	66.90	66.9
Impurities	% by weight	AOF Quality Standard	1.50	1.60	1.6	1.60	1.60	1.6	0.70	0.70	0.7
Oil NIR (Clean Seed)	% by weight	NIR	49.50	49.50	49.5	46.40	46.50	46.5	42.10	42.20	42.2
Oil Solvent (Clean Seed)	% by weight	AOCS AM 2-93	49.00	49.00	49.0	46.00	46.00	46.0	41.50	41.50	41.5
Moisture Oven	% by weight	AOAC 925.10	5.00	5.00	5.0	4.00	4.00	4.0	6.50	6.50	6.5
Moisture NIR	% by weight	NIR	4.70	4.70	4.7	3.60	3.60	3.6	6.30	6.30	6.3
Oleic Acid	% by weight										
Linoleic Acid	% by weight										
Linolenic Acid	% by weight										
Free Fatty Acid	% by weight	AOCS Ca 5a-40	0.12	0.21	0.17	0.19	0.20	0.20	0.25	0.21	0.23

Reporting Date	24/04/2020		Lab	K							
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3		
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average
Test Weight	kg/hL										
Impurities	% by weight	AOF 2a-86									
Oil NIR (Clean Seed)	% by weight	NIR									
Oil Solvent (Clean Seed)	% by weight										
Moisture Oven	% by weight										
Moisture NIR	% by weight	NIR									
Oleic Acid	% by weight										
Linoleic Acid	% by weight										
Linolenic Acid	% by weight										
Free Fatty Acid	% by weight										

Reporting Date	27/05/2020		Lab	L							
Parameter	Unit	Method	Sample 1			Sample 2			Sample 3		
			Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average
Test Weight	kg/hL	Chondrometer	66.17	66.22	66.20	65.24	65.09	65.17	67.15	67.20	67.18
Impurities	% by weight	AOF 4 - 1.3	1.58	1.52	1.55	1.93	1.97	1.95	1.05	1.05	1.05
Oil NIR (Clean Seed)	% by weight	Near-Infra Red (NIR)	48.03	48.03	48.03	46.05	46.15	46.10	39.47	39.35	39.41
Oil Solvent (Clean Seed)	% by weight	N/A									
Moisture Oven	% by weight	AOF 4 - 1.5	4.91	4.91	4.91	3.97	3.98	3.98	6.65	6.65	6.65
Moisture NIR	% by weight	Near-Infra Red (NIR)	5.77	5.73	5.75	5.40	5.42	5.41	7.86	7.86	7.86
Oleic Acid	% by weight	N/A									
Linoleic Acid	% by weight	N/A									
Linolenic Acid	% by weight	N/A									
Free Fatty Acid	% by weight	N/A									

AOF Test Check Program 2020 - Round 3

Reporting Date	30/05/2020		Lab	M								
Parameter	Unit	Method	Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL					66.46	66.46	66.46	66.65	66.65	66.65	
Impurities	% by weight		1.21	1.31	1.26	2.07	2.16	2.12	0.99	1.03	1.01	
Oil NIR (Clean Seed)	% by weight		50.40	50.30	50.35	46.50	46.60	46.55	42.00	41.95	41.98	
Oil Solvent (Clean Seed)	% by weight		49.78	49.44	49.61	46.62	46.78	46.70	41.28	40.66	40.97	
Moisture Oven	% by weight		5.13	5.14	5.14	3.71	3.85	3.78	6.84	6.76	6.80	
Moisture NIR	% by weight		3.40	3.40	3.40	2.30	2.20	2.25	5.40	5.50	5.45	
Oleic Acid	% by weight		63.23	63.35	63.29	64.18	64.18	64.18	62.99	62.85	62.92	
Linoleic Acid	% by weight		20.32	20.25	20.29	19.75	19.68	19.72	21.21	21.29	21.25	
Linolenic Acid	% by weight		8.37	8.32	8.35	8.69	8.74	8.72	7.58	7.62	7.60	
Free Fatty Acid	% by weight		0.21	0.26	0.23	0.39	0.40	0.39	0.40	0.41	0.40	

Reporting Date			Lab	N								
Parameter	Unit	Method	Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL								1/			
Impurities	% by weight											
Oil NIR (Clean Seed)	% by weight	NIR										
Oil Solvent (Clean Seed)	% by weight											
Moisture Oven	% by weight											
Moisture NIR	% by weight	NIR										
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight											

Reporting Date			Lab	O								
Parameter	Unit	Method	Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average	
Test Weight	kg/hL											
Impurities	% by weight	AOF 4-1.2										
Oil NIR (Clean Seed)	% by weight	NIR										
Oil Solvent (Clean Seed)	% by weight	AOF 4-1.5 FOSFA										
Moisture Oven	% by weight	AOF-1.5										
Moisture NIR	% by weight	NIR										
Oleic Acid	% by weight											
Linoleic Acid	% by weight											
Linolenic Acid	% by weight											
Free Fatty Acid	% by weight	AOF 4-2.19										

AOF Test Check Program 2020 - Round 3

Reporting Date			Lab	R							
			Sample 1			Sample 2			Sample 3		
Parameter	Unit	Method	Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average
Test Weight	kg/hL	½ litre measure & electronic balance									
Impurities	% by weight	Hand sieve (3.0/1.0mm), aspirate & hand pick									
Oil NIR (Clean Seed)	% by weight	Infratec 1241 Serial No: 91724323									
Oil Solvent (Clean Seed)	% by weight										
Moisture Oven	% by weight	10g @ 130 oC for 1hr in duplicate (AOF method)									
Moisture NIR	% by weight	Infratec 1241 Serial No: 91724323									
Oleic Acid	% by weight										
Linoleic Acid	% by weight										
Linolenic Acid	% by weight										
Free Fatty Acid	% by weight										

Reporting Date	28/05/2020		Lab	S							
			Sample 1			Sample 2			Sample 3		
Parameter	Unit	Method	Result A	Result B	Average	Result A	Result B	Average	Result A	Result B	Average
Test Weight	kg/hL	TP/016	66.50	66.15	66.33	64.47	64.32	64.40	66.38	66.62	66.50
Impurities	% by weight	TP/052	1.35	1.23	1.29	3.03	3.34	3.19	1.15	1.54	1.35
Oil NIR (Clean Seed)	% by weight	TP/054	47.30	47.70	47.50	44.60	44.80	44.70	39.90	39.60	39.75
Oil Solvent (Clean Seed)	% by weight	TP/053	49.69	48.57	49.13	46.21	45.11	45.66	39.68	39.98	39.83
Moisture Oven	% by weight	TP/022	5.46	5.21	5.34	4.30	4.29	4.30	7.22	6.90	7.06
Moisture NIR	% by weight	TP/054	4.80	5.00	4.90	4.70	4.40	4.55	6.70	6.70	6.70
Oleic Acid	% by weight	TP/047	62.64	62.60	62.62	62.77	62.97	62.87	62.01	62.04	62.03
Linoleic Acid	% by weight	TP/047	21.66	21.69	21.68	21.55	21.56	21.56	22.88	22.90	22.89
Linolenic Acid	% by weight	TP/047	8.52	8.54	8.53	8.61	8.61	8.61	7.67	7.64	7.66
Free Fatty Acid	% by weight	TP/046	0.15	0.15	0.15	0.19	0.18	0.19	0.22	0.22	0.22