



**AOF Test Check Program AUGUST 2003/2004
Sample Number 1 Summary**


Test Weight kg/hl		
Lab	Result	Mean
A		
B		
C		
D		
E		
F	67.4	0.00
G	68.2	0.80
H	67	-0.40
I		
J		
K		
L	67.2	-0.20
M	68	0.60
N	66.6	-0.80
O		
MEAN	67.40	
STDEV	0.61	




Impurities		
Lab	Result	Mean
A	1.8	-0.05
B	3	1.15
C	1.86	0.01
D	1.7	-0.15
E	2.65	0.80
F	1.8	-0.05
G	1	-0.85
H	2.1	0.25
I	2.3	0.45
J		
K	1.2	-0.65
L	2.3	0.45
M	1.7	-0.15
N	1.2	-0.65
O	1.25	-0.60
MEAN	1.85	
STDEV	0.58	




Oil Rapid % (Clean Seed)		
Lab	Result	Mean
A	39.62	0.32
B		
C	39.03	-0.27
D	38.77	-0.53
E	40.02	0.72
F	39.2	-0.10
G		
H	39.6	0.30
I	38.9	-0.40
J		
K		
L	39.2	-0.10
M	39.1	-0.20
N	39.5	0.20
O	39.4	0.10
MEAN	39.30	
STDEV	0.37	




Oil Solvent % (Clean Seed)		
Lab	Result	Mean
A		
B	39.7	-0.09
C		
D	38.91	-0.88
E	37.9	-1.89
F	40	0.21
G	38.9	-0.89
H	40.01	0.22
I		
J		
K	40.2	0.41
L		
M	40.8	1.01
N	40.9	1.11
O	40.6	0.81
MEAN	39.79	
STDEV	0.96	




Oil % SFE (Clean Seed)		
Lab	Result	Mean
A		
B		
C		
D		
E		
F	39.2	-0.03
G		
H		
I		
J		
K		
L	38.3	-0.93
M		
N		
O	40.2	0.97
MEAN	39.23	
STDEV	0.95	




Moisture % Oven		
Lab	Result	Mean
A	5.71	-0.14
B	5.8	-0.05
C		
D	6.05	0.20
E	5.96	0.11
F	5.7	-0.15
G	5.5	-0.35
H	5.8	-0.05
I		
J		
K	5.4	-0.45
L	6.2	0.35
M	6.1	0.25
N	6	0.15
O	5.94	0.09
MEAN	5.85	
STDEV	0.24	




Moisture % Rapid		
Lab	Result	Mean
A		
B		
C	6.4	0.46
D	5.97	0.03
E		
F	5.6	-0.34
G		
H	5.9	-0.04
I		
J		
K		
L	6	0.06
M	5.9	-0.04
N	5.9	-0.04
O	5.84	-0.10
MEAN	5.94	
STDEV	0.22	




Oleic % Oil		
Lab	Result	Mean
A	59.39	-1.54
B	61.5	0.57
C		
D		
E	63.21	2.28
F		
G		
H		
I	63.69	2.76
J		
K	61.1	0.17
L		
M	57.6	-3.33
N		
O	60	-0.93
MEAN	60.93	
STDEV	2.14	



Linoleic % oil		
Lab	Result	Mean
A	20.08	0.44
B	19.3	-0.34
C		
D		
E	20.71	1.07
F		
G		
H		
I	18.16	-1.48
J		
K	19.5	-0.14
L		
M	19.7	0.06
N		
O	20	0.36
MEAN	19.64	
STDEV	0.80	




Free Fatty Acid % of Oil		
Lab	Result	Mean
A	0.98	0.26
B	0.46	-0.26
C		
D	0.64	-0.08
E	1	0.28
F		
G	0.77	0.05
H		
I	0.62	-0.10
J		
K	0.7	-0.02
L		
M	0.6	-0.12
N		
O		
MEAN	0.72	
STDEV	0.19	




**AOF Test Check Program AUGUST 2003/2004
Sample Number 1 Summary**

Lab Code	Oil Rapid % (Clean)	Oil Solvent % (Clean)	Oil % SFE (Clean)
A	39.62		
B		39.7	
C	39.03		
D	38.77	38.91	
E	40.02	37.9	
F	39.2	40	39.2
G		38.9	
H	39.6	40.01	
I	38.9		
J			
K		40.2	
L	39.2		38.3
M	39.1	40.8	
N	39.5	40.9	
O	39.4	40.6	40.2
Mean	39.30	39.79	39.23



Lab Code	Moisture % Oven Result	Moisture % Rapid Result
A	5.71	
B	5.8	
C		6.4
D	6.05	5.97
E	5.96	
F	5.7	5.6
G	5.5	
H	5.8	5.9
I		
J		
K	5.4	
L	6.2	6
M	6.1	5.9
N	6	5.9
O	5.94	5.84
Mean	5.85	5.94



AOF Test Check Program **AUGUST** 2003/2004
Sample Number 1 Summary

Lab Code	Test Weight kg/hl	Diff result-mean	Impurities %	Diff result-mean	Oil Rapid % (Clean)	Diff result-mean	Oil Solvent % (Clean)	Diff result-mean	Oil % SFE (Clean)	Diff result-mean	Moisture % Oven	Diff result-mean	Moisture % Rapid	Diff result-mean	Oleic % Oil	Diff result-mean	Linoleic % Oil	Diff result-mean	Free Fatty Acid	Diff result-mean
	Result		Result		Result		Result		Result		Result		Result		Result		Result		Result	
A			1.8	-0.05	39.62	0.39					5.71	-0.18			59.39	-1.54	20.08	0.44	0.98	0.26
B			3	1.15			39.7	-0.30			5.8	-0.09			61.5	0.57	19.3	-0.34	0.46	-0.26
C			1.86	0.01	39.03	-0.20							6.4	0.53						
D			1.7	-0.15	38.77	-0.46	38.91	-1.09			6.05	0.16	5.97	0.10					0.64	-0.08
E			2.65	0.80	40.02	0.79	37.9	-2.10			5.96	0.07			63.21	2.28	20.71	1.07	1	0.28
F	67.4	0.00	1.8	-0.05	39.2	-0.03	40	0.00	39.2	-0.03	5.7	-0.19	5.6	-0.27						
G	68.2	0.80	1	-0.85			38.9	-1.10			5.5	-0.39							0.77	0.05
H	67	-0.40	2.1	0.25	39.6	0.37	40.01	0.01			5.8	-0.09	5.9	0.03						
I			2.3	0.45	38.9	-0.33									63.69	2.76	18.16	-1.48	0.62	-0.10
J																				
K			1.2	-0.65			40.2	0.20			5.4	-0.49			61.1	0.17	19.5	-0.14	0.7	-0.02
L	67.2	-0.20	2.3	0.45	39.2	-0.03			38.3	-0.93	6.2	0.31	6	0.13						
M	68	0.60	1.7	-0.15	39.1	-0.13	40.8	0.80			6.1	0.21	5.9	0.03	57.6	-3.33	19.7	0.06	0.6	-0.12
N	66.6	-0.80	1.2	-0.65	39.5	0.27	40.9	0.90			6	0.11	5.9	0.03						
O			1.25	-0.60	39.4	0.17	40.6	0.60	40.2	0.97	5.94	0.05	5.84	-0.03	60	-0.93	20	0.36		
Mean	67.40		1.85		39.23		40.00		39.23		5.89		5.87		60.93		19.64		0.72	
Stdev	0.61		0.58		0.37		0.96		0.95		0.24		0.22		2.14		0.80		0.19	