## Centre for Crop and Disease Management

Cropping for the Future



Curtin University



- 1. Agronomy
- Communications
   Wheat Septoria n
- 3. Wheat Septoria nodorum blotch
- 4. Wheat Yellow spot
- Barley net-blotch
   Sclerotinia of canola
- Legume ascochyta blights
- 8. Barley powdery mildew
- 9. Fungicide resistance management
- 10. Bioinformatics

## Pg 6 - Outputs

- An improvement in area-averaged disease resistance ratings of released cultivars of canola by one unit by 2025 and every 5 years thereafter in each Australia agro-ecological zones (AEZ).
- 2. By June 2019, breeders and pre-breeders having access to germplasm with resistance to Sclerotinia stem rot to develop adapted Canola varieties.
- 3 By June 2019, growers have enhanced adoption of cost effective management options.

## Experimental approaches

- Agronomy
- Fungicides
- Host genetics
- Functional genomics

# <section-header><section-header><list-item><list-item><list-item><list-item><list-item><list-item>



## Finish the Genome sequence

- Isolate 1980 was sanger-sequenced in 2007. Can't bring this isolate to Australia; 16 linkage groups/optical chromosomes
   RPO obtained KNAW fellowship to Wageningen; made hmw DNA; sent for sequencing
- MD has used new data to "finish" the assembly.

	Old	New
Total length	38.3 Mbp	38.7
Longest scaffold	2.7 Mbp	5.46 Mbp
N50	9	5
L50	1.5 Mbp	2.4 Mbp
Scaffold count	37	18

















### GM

- Roundup ready already widely grown in advanced states
- \* GRDC/CSIRO investing in  $\omega\text{-}3$  fatty acids GM
- Leptosphaeria maculans an ongoing problem likely to be controlled by the same genes that control SSR
- BWYV also has GM solution
- RPW8 for powdery mildew

# Functional Genomics Discover effectors

- Vulnerabilities in lifecycle
- Novel GM solutions
- Novel fungicides/fungicide targets

